

# TOTEM UP/DOWN LIGHT

## DESCRIPTION

Totem is a versatile pendant lighting collection comprised of exquisitely blown opal glass shades designed around a modular platform. Totem's soft, pure white geometric forms provide a charming interplay of unique combinations to provide warmth and elegance to any space. Users can select from 4 shade styles (A,B,C,D) to mix and match to create an ensemble of 20 unique pendant combinations. Totem provides both direct and indirect illumination by employing a two-part LED light engine that provides both uplight and downlight resulting in a warm and dimmable ambient glow projecting through its softly diffused glass structure. Totem singles can be used in flush mount down-light only scenarios as well.

## FIXTURE TYPE

Pendant

## LIGHT SOURCE

High output LED array

## LIGHT CONTROL

Fully dimmable

## FEATURES

20 unique pendant combinations  
Uplight/Downlight

## SPECIFICATIONS

Voltage : 120-240V 50/60Hz  
Power Consumption : 20W  
Color Temperature : 2700-2200K DTW(Dim to Warm)  
Luminosity : 1800 Lumens (1400 Down/400 Up)  
Luminaire efficacy : 90 Lumens/Watt  
Color Rendition Index: 90 CRI  
Cable length: 10' (3m)

## CERTIFICATIONS



## PRODUCT CODES

Totem Up/Down (AA):	TOTE UPDWN AA
Totem Up/Down (AB):	TOTE UPDWN AB
Totem Up/Down (AC):	TOTE UPDWN AC
Totem Up/Down (AD):	TOTE UPDWN AD
Totem Up/Down (BA):	TOTE UPDWN BA
Totem Up/Down (BB):	TOTE UPDWN BB
Totem Up/Down (BC):	TOTE UPDWN BC
Totem Up/Down (BD):	TOTE UPDWN BD
Totem Up/Down (CA):	TOTE UPDWN CA
Totem Up/Down (CB):	TOTE UPDWN CB
Totem Up/Down (CC):	TOTE UPDWN CC
Totem Up/Down (CD):	TOTE UPDWN CD
Totem Up/Down (DA):	TOTE UPDWN DA
Totem Up/Down (DB):	TOTE UPDWN DB
Totem Up/Down (DC):	TOTE UPDWN DC
Totem Up/Down (DD):	TOTE UPDWN DD

## PACKAGING WEIGHT AND DIMENSIONS

Totem A:	8LBS	20" X 20" X 20"
(Shade)	3.6KG	50cm X 50cm X 50cm
Totem B:	6.5LBS	17" X 17" X 15"
(Shade)	3KG	39cm X 43cm X 43cm
Totem C:	4LBS	16.5" X 16.5" X 10"
(Shade)	1.8KG	42cm X 42cm X 25cm
Totem D:	3.3LBS	22" X 22" X 9"
(Shade)	1.5KG	56cm X 56cm X 23cm

## NOTES

Custom requests can be considered on volume orders.

**Pablo**



## FINISHES

### CANOPY



WHITE





### SHADE



OPAL GLASS

## DIMENSIONS

### TOTEM UP/DOWN LIGHT



# TOTEM DOWN LIGHT

## DESCRIPTION

Totem is a versatile pendant lighting collection comprised of exquisitely blown opal glass shades designed around a modular platform. Totem's soft, pure white geometric forms provide a charming interplay of unique combinations to provide warmth and elegance to any space. Users can select from 4 shade styles (A,B,C,D) to mix and match to create an ensemble of 20 unique pendant combinations. Totem provides both direct and indirect illumination by employing a two-part LED light engine that provides both uplight and downlight resulting in a warm and dimmable ambient glow projecting through its softly diffused glass structure. Totem singles can be used in flush mount down-light only scenarios as well.

## FIXTURE TYPE

Pendant

## LIGHT SOURCE

High output LED array

## LIGHT CONTROL

Fully dimmable

## FEATURES

20 unique pendant combinations  
Uplight/Downlight

## SPECIFICATIONS

Voltage : 120-240V 50/60Hz  
Power Consumption : 13W  
Color Temperature : 2700-2200K DTW(Dim to Warm)  
Luminosity : 1400 Lumens  
Luminaire efficacy : 107 Lumens/Watt  
Color Rendition Index: 90 CRI  
Cable length: 10' (3m)

## CERTIFICATIONS



## PRODUCT CODES

Totem Down (A):	TOTE DWN A
Totem Down (B):	TOTE DWN B
Totem Down (C):	TOTE DWN C
Totem Down (D):	TOTE DWN D

## PACKAGING WEIGHT AND DIMENSIONS

Totem A:	8LBS	20" X 20" X 20"
(Shade)	3.6KG	50cm X 50cm X 50cm
Totem B:	6.5LBS	17" X 17" X 15"
(Shade)	3KG	39cm X 43cm X 43cm
Totem C:	4LBS	16.5" X 16.5" X 10"
(Shade)	1.8KG	42cm X 42cm X 25cm
Totem D:	3.3LBS	22" X 22" X 9"
(Shade)	1.5KG	56cm X 56cm X 23cm

## NOTES

Custom requests can be considered on volume orders.

**Pablo**



## FINISHES

### CANOPY



WHITE





### SHADE



OPAL GLASS

## DIMENSIONS

### TOTEM DOWN LIGHT



# TOTEM FLUSH

## DESCRIPTION

Totem is a versatile pendant lighting collection comprised of exquisitely blown opal glass shades designed around a modular platform. Totem's soft, pure white geometric forms provide a charming interplay of unique combinations to provide warmth and elegance to any space. Users can select from 4 shade styles (A,B,C,D) to mix and match to create an ensemble of 20 unique pendant combinations. Totem provides both direct and indirect illumination by employing a two-part LED light engine that provides both uplight and downlight resulting in a warm and dimmable ambient glow projecting through its softly diffused glass structure. Totem singles can be used in flush mount down-light only scenarios as well.

## FIXTURE TYPE

Pendant

## LIGHT SOURCE

High output LED array

## LIGHT CONTROL

Fully dimmable

## FEATURES

20 unique pendant combinations  
Uplight/Downlight

## SPECIFICATIONS

Voltage : 120-240V 50/60Hz  
Power Consumption : 13W  
Color Temperature : 2700-2200K DTW(Dim to Warm)  
Luminosity : 1400 Lumens  
Luminaire efficacy : 107 Lumens/Watt  
Color Rendition Index: 90 CRI

## CERTIFICATIONS



## FINISHES

### CANOPY



WHITE



### SHADE



OPAL GLASS

## DIMENSIONS

### TOTEM FLUSH





## PRODUCT CODES

Totem Flush (A):	TOTE FSH A
Totem Flush (B):	TOTE FSH B
Totem Flush (C):	TOTE FSH C
Totem Flush (D):	TOTE FSH D

## PACKAGING WEIGHT AND DIMENSIONS

Totem A:	8LBS	20" X 20" X 20"
(Shade)	3.6KG	50cm X 50cm X 50cm
Totem B:	6.5LBS	17" X 17" X 15"
(Shade)	3KG	39cm X 43cm X 43cm
Totem C:	4LBS	16.5" X 16.5" X 10"
(Shade)	1.8KG	42cm X 42cm X 25cm
Totem D:	3.3LBS	22" X 22" X 9"
(Shade)	1.5KG	56cm X 56cm X 23cm



## NOTES

Custom requests can be considered on volume orders.



4  
1000mm

1000mm



5  
2000mm

1000mm



6  
1000mm

1000mm



7  
2000mm

1000mm



8  
1000mm

1000mm



9  
2000mm

1000mm



10  
1000mm

1000mm



11  
2000mm

1000mm



12  
1000mm

1000mm



13  
2000mm

1000mm



14  
1000mm

1000mm



15  
2000mm

1000mm



16  
1000mm

1000mm



17  
2000mm

1000mm



18  
1000mm

1000mm



19  
2000mm

1000mm



20  
1000mm

1000mm



21  
2000mm

1000mm



22  
1000mm

1000mm



23  
2000mm

1000mm



24  
1000mm

1000mm



25  
2000mm

1000mm



26  
1000mm

1000mm



27  
2000mm

1000mm