

# SWELL | SWELL XL SINGLE

## DESCRIPTION

Elegant with undulating contours, Swell Single is an LED pendant designed to seamlessly blend the line between indoor and outdoor lighting. Swell single can be suspended individually or as a chandelier grouping to perfectly complement residential, commercial, lounge and hospitality settings alike. Swell is now available in stunning new XL sizes for spaces that demand exceptional scale.

## FIXTURE TYPE

Pendant

## LIGHT SOURCE

(1) 3000K E26 base 13W PAR30 LED bulb: 1050lm

## PRODUCT CODES

Swell Single Narrow (White/Brass):	SWELSNGNRW WHT/BRA EU
Swell Single Narrow (Black/Brass):	SWELSNGNRW BLK/BRA EU
Swell Single Narrow (Brass/Brass):	SWELSNGNRW BRA/BRA EU
Swell Single Medium (White/Brass):	SWELSNGMED WHT/BRA EU
Swell Single Medium (Black/Brass):	SWELSNGMED BLK/BRA EU
Swell Single Medium (Brass/Brass):	SWELSNGMED BRA/BRA EU
Swell Single Wide (White/Brass):	SWELSNGWID WHT/BRA EU
Swell Single Wide (Black/Brass):	SWELSNGWID BLK/BRA EU
Swell Single Wide (Brass/Brass):	SWELSNGWID BRA/BRA EU
Swell Single XL Narrow (White/Brass):	SWELSNGXLNRW WHT/BRA EU
Swell Single XL Narrow (Black/Brass):	SWELSNGXLNRW BLK/BRA EU
Swell Single XL Narrow (Brass/Brass):	SWELSNGXLNRW BRA/BRA EU
Swell Single XL Medium (White/Brass):	SWELSNGXLMED WHT/BRA EU
Swell Single XL Medium (Black/Brass):	SWELSNGXLMED BLK/BRA EU
Swell Single XL Medium (Brass/Brass):	SWELSNGXLMED BRA/BRA EU
Swell Single XL Wide (White/Brass):	SWELSNGXLWID WHT/BRA EU
Swell Single XL Wide (Black/Brass):	SWELSNGXLWID BLK/BRA EU
Swell Single XL Wide (Brass/Brass):	SWELSNGXLWID BRA/BRA EU



## FINISHES



## LIGHT CONTROL

Hard-wired, dimmable  
Compatible with TRIAC/ELV dimmers

## FEATURES

Fully dimmable  
For indoor and outdoor use  
Damp rated  
Interchangeable shades

## SPECIFICATIONS

Voltage: 120V or 240V 60Hz  
Power consumption: 13W  
Color temperature: 3000K  
Luminosity: 1050 Lumens  
Luminaire efficacy: 81 Lumens/Watt  
Color Rendition Index: 82 CRI  
40K hour lifespan  
Cable length: 10' (305cm)  
Title 20/Title 24 compliant  
Dark Sky compliant  
2year warranty (excluding bulbs)

## CERTIFICATIONS



## PACKAGING WEIGHT AND DIMENSIONS

Swell Single:	5.25LBS	15.5" X 16" X 14.5"
	2.4KGS	39cm X 41cm X 37cm


## NOTES

Custom requests can be considered on volume orders


Pablo

## DIMENSIONS


### SWELL SINGLE NARROW




### SWELL SINGLE MEDIUM




### SWELL SINGLE WIDE




### SWELL XL SINGLE NARROW



### SWELL XL SINGLE MEDIUM



### SWELL XL SINGLE WIDE



# SWELL STRING 3 MIXED

## DESCRIPTION

Elegant and infinitely flexible, Swell String is a modular LED lighting system designed to seamlessly blend the line between indoor and outdoor lighting. Swell String's three shade design can be mixed and matched to create dynamic groupings. Swell String can be suspended both vertically and horizontally in configurations of up to (34) lamps from a single power source to perfectly complement residential, commercial, lounge and hospitality settings alike.

## FIXTURE TYPE

Pendant

## LIGHT SOURCE

(1) 3000K E26 base 13W PAR30 LED bulb: 1050lm

## PRODUCT CODES

Swell String Mixed (White/Brass):	SWEL STR MIX WHT/BRA EU
Swell String Mixed (Black/Brass):	SWEL STR MIX BLK/BRA EU
Swell String Mixed (Brass/Brass):	SWEL STR MIX BRA/BRA EU
Swell 12" Extension Cable (White):	SWEL STR ACC EXT 12 WHT EU
Swell 12" Extension Cable (Black):	SWEL STR ACC EXT 12 BLK EU
Swell Horizontal Mounting Kit:	SWEL HRZ MOUNT EU

## LIGHT CONTROL

Hard-wired  
ELV dimmer recommended

## FEATURES

Fully dimmable  
For indoor and outdoor use  
Damp rated  
Interchangeable shades  
Interconnectable sockets

## SPECIFICATIONS

Voltage: 120V or 240V 60Hz  
Power consumption: 13W  
Color temperature: 3000K  
Luminosity: 1050 Lumens  
Luminaire efficacy: 81 Lumens/Watt  
Color Rendition Index: 90 CRI  
40K hour lifespan  
(3x) 10' (305cm) vertical mounting kit cable included  
30' (915cm) horizontal mounting kit cable sold separately  
8' (244cm) power feed cable and canopy included  
Horizontal mounting kit supports 12 lamps MAX  
MAX interconnected 14.5W lamps: 34  
Title 20/Title 24 compliant  
Dark Sky compliant  
2 year warranty (excluding bulbs)

## CERTIFICATIONS



## PACKAGING WEIGHT AND DIMENSIONS

Swell String 3 Mixed:	12.3LBS 16.5" X 16" X 14.5"
	5.6KGS 42cm X 41cm X 37cm

## NOTES

Custom requests can be considered on volume orders




## FINISHES




## DIMENSIONS


### SWELL STRING 3 MIXED VERTICAL




### SWELL STRING 3 MIXED HORIZONTAL



### HORIZONTAL MOUNTING KIT



### 12" JUMPER CABLE



# SWELL STRING SINGLE

## DESCRIPTION

Elegant and infinitely flexible, Swell String Single is a modular LED lighting system designed to seamlessly blend the line between indoor and outdoor lighting. Swell String Single allows infinite customization, pick your own collection to create a dramatic and personal grouping to fit any environment. Swell String Single can be suspended both vertically and horizontally in configurations of up to (34) lamps from a single power source to perfectly complement residential, commercial, lounge and hospitality settings alike.

## FIXTURE TYPE

Pendant

## LIGHT SOURCE

(1) 3000K E26 base 13W PAR30 LED bulb: 1050lm

## PRODUCT CODES

Swell String Single Narrow (White/Brass):	SWEL STR SNG NRW WHT/BRA EU
Swell String Single Narrow (Black/Brass):	SWEL STR SNG NRW BLK/BRA EU
Swell String Single Narrow (Brass/Brass):	SWEL STR SNG NRW BRA/BRA EU
Swell String Single Medium (White/Brass):	SWEL STR SNG MED WHT/BRA EU
Swell String Single Medium (Black/Brass):	SWEL STR SNG MED BLK/BRA EU
Swell String Single Medium (Brass/Brass):	SWEL STR SNG NRW BRA/BRA EU
Swell String Single Wide (White/Brass):	SWEL STR SNG WID WHT/BRA EU
Swell String Single Wide (Black/Brass):	SWEL STR SNG WID BLK/BRA EU
Swell String Single Wide (Brass/Brass):	SWEL STR SNG NRW BRA/BRA EU
Swell Power Feed and Canopy (White):	SWEL STR ACC KIT WHT EU
Swell Power Feed and Canopy (Black):	SWEL STR ACC KIT BLK EU
Swell 12" Extension Cable (White):	SWEL STR ACC EXT 12 WHT EU
Swell 12" Extension Cable (Black):	SWEL STR ACC EXT 12 BLK EU
Swell Horizontal Mounting Kit:	SWEL HRZ MOUNT EU

## LIGHT CONTROL

Hard-wired

ELV dimmer recommended

## FEATURES

Fully dimmable

For indoor and outdoor use

Damp rated

Interchangeable shades

Interconnectable sockets

## SPECIFICATIONS

Voltage: 120V or 240V 60Hz

Power consumption: 13W

Color temperature: 3000K

Luminosity: 1050 Lumens

Luminaire efficacy: 81 Lumens/Watt

Color Rendition Index: 90 CRI

40K hour lifespan

(1x) 10' (305cm) vertical mounting kit cable included

30' (915cm) horizontal mounting kit cable sold separately

8' (244cm) power feed cable and canopy sold separately

Horizontal mounting kit supports 12 lamps MAX

MAX interconnected 14.5W lamps: 34

Title 20/Title 24 compliant

Dark Sky compliant

2 year warranty (excluding bulbs)

## CERTIFICATIONS



## PACKAGING WEIGHT AND DIMENSIONS

Swell String Single: 5.25LBS 15.5" X 16" X 14.5"

2.4KGS 39cm X 41cm X 37cm

## NOTES

Custom requests can be considered on volume orders



## FINISHES



WHITE/  
BRASS




BLACK/  
BRASS




BRASS/  
BRASS

## DIMENSIONS


SWELL STRING SINGLE NARROW



SWELL STRING SINGLE MEDIUM




SWELL STRING SINGLE WIDE




POWER FEED CABLE



CANOPY



HORIZONTAL MOUNTING KIT



12" EXTENSION CABLE



Pablo

# SWELL CHANDELIER

## DESCRIPTION

Elegant with undulating contours, Swell Chandelier is an LED chandelier designed to seamlessly blend the line between indoor and outdoor lighting. Swell Chandelier is available in groupings of 3 and 6 lamps, creating a dramatic and personal grouping to fit any environment.

## FIXTURE TYPE

Pendant

## LIGHT SOURCE

(1) 3000K E26 base 13W PAR30 LED bulb: 1050lm per lamp

## PRODUCT CODES

Swell Single Narrow (White/Brass):	SWEL SNG NRW WHT/BRA EU
Swell Single Narrow (Black/Brass):	SWEL SNG NRW BLK/BRA EU
Swell Single Narrow (Brass/Brass):	SWEL SNG NRW BRA/BRA EU
Swell Single Medium (White/Brass):	SWEL SNG MED WHT/BRA EU
Swell Single Medium (Black/Brass):	SWEL SNG MED BLK/BRA EU
Swell Single Medium (Brass/Brass):	SWEL SNG MED BRA/BRA EU
Swell Single Wide (White/Brass):	SWEL SNG WID WHT/BRA EU
Swell Single Wide (Black/Brass):	SWEL SNG WID BLK/BRA EU
Swell Single Wide (Brass/Brass):	SWEL SNG WID BRA/BRA EU
17" Chandelier Canopy:	CHND CAN 17 EU
26" Chandelier Canopy:	CHND CAN 26 EU

## LIGHT CONTROL

Hard-wired  
ELV dimmer recommended

## FEATURES

Fully dimmable  
For indoor and outdoor use  
Damp rated  
Interchangeable shades

## SPECIFICATIONS

Voltage: 120V or 240V 60Hz  
Power consumption: 13W per lamp  
Color temperature: 3000K  
Luminosity: 1050 Lumens per lamp  
Luminaire efficacy: 81 Lumens/Watt  
Color Rendition Index: 90 CRI  
40K hour lifespan  
Cable length: 10' (305cm)  
Title 20/Title 24 compliant  
Dark Sky compliant  
2 year warranty (excluding bulbs)

## CERTIFICATIONS



## PACKAGING WEIGHT AND DIMENSIONS

Swell Single:	5.25LBS	15.5" X 16" X 14.5"
	2.4KGS	39cm X 41cm X 37cm
Chandelier canopy 26":	30LBS	32" X 32" X 6"
	13.6KGS	81cm X 81cm X 15cm
Chandelier canopy 17":	15LBS	22" X 22" X 6"
	6.8KGS	56cm X 56cm X 15cm

## NOTES

Custom requests can be considered on volume orders




## FINISHES




## DIMENSIONS


SWELL CHANDELIER 3




CHANDELIER CANOPY 17"



SWELL CHANDELIER 6



CHANDELIER CANOPY 26"





# SWELL | SWELL XL SINGLE

## DESCRIPTION

Elegant with undulating contours, Swell Single is an LED pendant designed to seamlessly blend the line between indoor and outdoor lighting. Swell single can be suspended individually or as a chandelier grouping to perfectly complement residential, commercial, lounge, and hospitality settings alike. Swell is now available in stunning new XL sizes for spaces that demand exceptional scale.

## FIXTURE TYPE

Pendant

## LIGHT SOURCE

(1) 3000K E26 base 13W PAR30 LED bulb: 1050lm

## PRODUCT CODES

Swell Single Narrow (White/Brass):	SWEL SNG NRW WHT/BRA EU
Swell Single Narrow (Black/Brass):	SWEL SNG NRW BLK/BRA EU
Swell Single Narrow (Brass/Brass):	SWEL SNG NRW BRA/BRA EU
Swell Single Medium (White/Brass):	SWEL SNG MED WHT/BRA EU
Swell Single Medium (Black/Brass):	SWEL SNG MED BLK/BRA EU
Swell Single Medium (Brass/Brass):	SWEL SNG MED BRA/BRA EU
Swell Single Wide (White/Brass):	SWEL SNG WID WHT/BRA EU
Swell Single Wide (Black/Brass):	SWEL SNG WID BLK/BRA EU
Swell Single Wide (Brass/Brass):	SWEL SNG WID BRA/BRA EU

## LIGHT CONTROL

Hard-wired

ELV dimmer recommended

## FEATURES

Fully dimmable

For indoor and outdoor use

Damp rated

Interchangeable shades

interconnectable sockets

## SPECIFICATIONS

Voltage : 120V or 240V 60Hz

Power consumption: 13W

Color temperature: 3000K

Luminosity: 1050 Lumens

Luminaire efficacy: 81 Lumens/Watt

Color Rendition Index: 90 CRI

40K hour lifespan

(3x) 10' (305cm) vertical mounting kit cable included

30' (915cm) horizontal mounting kit cable sold separately

8' (244cm) power feed cable and canopy included

Horizontal mounting kit supports 12 lamps MAX

MAX interconnected 14.5W lamps: 34

Title 20/Title 24 compliant

Dark Sky compliant

2 year warranty (excluding bulbs)

## CERTIFICATIONS



## PACKAGING WEIGHT AND DIMENSIONS

Swell Narrow:	6LBS 2.7KG	17" X 17" X 15" 43CM X 43CM X 38CM
Swell Medium:	6LBS 2.7KG	17" X 17" X 15" 43CM X 43CM X 38CM
Swell Wide:	6LBS 2.7KG	17" X 17" X 15" 43CM X 43CM X 38CM
Swell XL Narrow:	6.6LBS 3KG	14" X 14" X 20" 36CM X 36CM X 51CM
Swell XL Medium:	7.6LBS 3.4KG	20" X 20" X 18" 51CM X 51CM X 46CM
Swell XL Wide:	10LBS 4.5KG	26" X 26" X 14" 66CM X 66CM X 36CM

## NOTES

Custom requests can be considered on volume orders

Pablo




Swell Single XL Narrow (White/Brass):	SWEL SNG XL NRW WHT/BRA
Swell Single XL Narrow (Black/Brass):	SWEL SNG XL NRW BLK/BRA
Swell Single XL Narrow (Brass/Brass):	SWEL SNG XL NRW BRA/BRA
Swell Single XL Medium (White/Brass):	SWEL SNG XL MED WHT/BRA
Swell Single XL Medium (Black/Brass):	SWEL SNG XL MED BLK/BRA
Swell Single XL Medium (Brass/Brass):	SWEL SNG XL MED BRA/BRA
Swell Single XL Wide (White/Brass):	SWEL SNG XL WID WHT/BRA
Swell Single XL Wide (Black/Brass):	SWEL SNG XL WID BLK/BRA
Swell Single XL Wide (Brass/Brass):	SWEL SNG XL WID BRA/BRA

## FINISHES




## DIMENSIONS


SWELL SINGLE NARROW




SWELL SINGLE MEDIUM




SWELL SINGLE WIDE




SWELL XL SINGLE NARROW



SWELL XL SINGLE MEDIUM



SWELL XL SINGLE WIDE



# SWELL XL STRING 3 MIXED

## DESCRIPTION

Elegant and infinitely flexible, Swell XL String is a modular LED lighting system designed to seamlessly blend the line between indoor and outdoor lighting. Swell XL String's three shade designs can be mixed and matched to create dynamic groupings. Swell XL String can be suspended both vertically and horizontally in configurations of up to (34) lamps from a single power source to perfectly complement residential, commercial, lounge and hospitality settings alike.

## FIXTURE TYPE

Pendant

## LIGHT SOURCE

(1) 3000K E26 base 13W PAR30 LED bulb: 1050lm

## PRODUCT CODES

Swell String XL Mixed (White/Brass):	SWEL STR XL MIX WHT/BRA EU
Swell String XL Mixed (Black/Brass):	SWEL STR XL MIX BLK/BRA EU
Swell String XL Mixed (Brass/Brass):	SWEL STR XL MIX BRA/BRA EU
Swell 12" Extension Cable (White):	SWEL STR ACC EXT 12 WHT EU
Swell 12" Extension Cable (Black):	SWEL STR ACC EXT 12 BLK EU
Swell Horizontal Mounting Kit:	SWEL HRZ MOUNT EU

## LIGHT CONTROL

Hard-wired  
ELV dimmer recommended

## FEATURES

Fully dimmable  
For indoor and outdoor use  
Damp rated  
Interchangeable shades  
interconnectable sockets

## SPECIFICATIONS

Voltage : 120V or 240V 60Hz  
Power consumption: 13W  
Color temperature: 3000K  
Luminosity: 1050 Lumens  
Luminaire efficacy: 81 Lumens/Watt  
Color Rendition Index: 90 CRI  
40K hour lifespan  
(3x) 10' (305cm) vertical mounting kit cable included  
30' (915cm) horizontal mounting kit cable sold separately  
8' (244cm) power feed cable and canopy included  
Horizontal mounting kit supports 12 lamps MAX  
MAX interconnected 14.5W lamps: 34  
Title 20/Title 24 compliant  
Dark Sky compliant  
2 year warranty (excluding bulbs)

## CERTIFICATIONS



## PACKAGING WEIGHT AND DIMENSIONS


Swell XL Narrow:	6.6LBS	14" X 14" X 20"
	3KG	36CM X 36CM X 51CM
Swell XL Medium:	7.6LBS	20" X 20" X 18"
	3.4KG	51CM X 51CM X 46CM
Swell XL Wide:	10LBS	26" X 26" X 14"
	4.5KG	66CM X 66CM X 36CM

## NOTES

Custom requests can be considered on volume orders




## FINISHES




## DIMENSIONS


### SWELL XL STRING 3 MIXED VERTICAL



### SWELL XL STRING 3 MIXED HORIZONTAL



### HORIZONTAL MOUNTING KIT



### 12" JUMPER CABLE



# SWELL XL STRING SINGLE

### DESCRIPTION

Elegant and infinitely flexible, Swell XL String Single is a modular LED lighting system designed to seamlessly blend the line between indoor and outdoor lighting. Swell XL String Single allows infinite customization, pick your own collections to create a dramatic and personal grouping to fit any environment. Swell XL String Single can be suspended both vertically and horizontally in configurations of up to (34) lamps from a single power source to perfectly complement residential, commercial, lounge and hospitality settings alike.

### FIXTURE TYPE

Pendant

### LIGHT SOURCE

(1) 3000K E26 base 13W PAR30 LED bulb: 1050lm

### PRODUCT CODES

Swell String Single XL Narrow (White/Brass):	SWEL STR SNG XL NRW WHT/BRA EU
Swell String Single XL Narrow (Black/Brass):	SWEL STR SNG XL NRW BLK/BRA EU
Swell String Single XL Narrow (Brass/Brass):	SWEL STR SNG XL NRW BRA/BRA EU
Swell String Single XL Medium (White/Brass):	SWEL STR SNG XL MED WHT/BRA EU
Swell String Single XL Medium (Black/Brass):	SWEL STR SNG XL MED BLK/BRA EU
Swell String Single XL Medium (Brass/Brass):	SWEL STR SNG XL MED BRA/BRA EU
Swell String Single XL Wide (White/Brass):	SWEL STR SNG XL WID WHT/BRA EU
Swell String Single XL Wide (Black/Brass):	SWEL STR SNG XL WID BLK/BRA EU
Swell String Single XL Wide (Brass/Brass):	SWEL STR SNG XL WID BRA/BRA EU
Swell Power Feed and Canopy (White):	SWEL STR ACC KIT WHT EU
Swell Power Feed and Canopy (Black):	SWEL STR ACC KIT BLK EU
Swell 12" Extension Cable (White):	SWEL STR ACC EXT 12 WHT EU
Swell 12" Extension Cable (Black):	SWEL STR ACC EXT 12 BLK EU
Swell Horizontal Mounting Kit:	SWEL HRZ MOUNT EU

### LIGHT CONTROL

Hard-wired  
ELV dimmer recommended

### FEATURES

Fully dimmable  
For indoor and outdoor use  
Damp rated  
Interchangeable shades  
Interconnectable sockets

### SPECIFICATIONS

Voltage : 120V or 240V 60Hz  
Power consumption: 13W  
Color temperature: 3000K  
Luminosity: 1050 Lumens  
Luminaire efficacy: 81 Lumens/Watt  
Color Rendition Index: 90 CRI  
40K hour lifespan  
(3x) 10' (305cm) vertical mounting kit cable included  
30' (915cm) horizontal mounting kit cable sold separately  
8' (244cm) power feed cable and canopy included  
Horizontal mounting kit supports 12 lamps MAX  
MAX interconnected 14.5W lamps: 34  
Title 20/Title 24 compliant  
Dark Sky compliant  
2 year warranty (excluding bulbs)

### CERTIFICATIONS



### PACKAGING WEIGHT AND DIMENSIONS

Swell XL Narrow:	6.6LBS 3KG	14" X 14" X 20" 36CM X 36CM X 51CM
Swell XL Medium:	7.6LBS 3.4KG	20" X 20" X 18" 51CM X 51CM X 46CM
Swell XL Wide:	10LBS 4.5KG	26" X 26" X 14" 66CM X 66CM X 36CM

### NOTES


Custom requests can be considered on volume orders




### FINISHES



### DIMENSIONS




### POWER FEED CABLE



### HORIZONTAL MOUNTING KIT



### CANOPY



### 12" EXTENSION CABLE



# SWELL XL CHANDELIER

## DESCRIPTION

Elegant with undulating contours, Swell XL Chandelier is an LED chandelier designed to seamlessly blend the line between indoor and outdoor lighting. Swell XL Chandelier is available in groupings of 3 and 6 lamps, creating a dramatic and personal grouping to fit any environment.

## FIXTURE TYPE

Pendant

## LIGHT SOURCE

(1) 3000K E26 base 13W PAR30 LED bulb: 1050lm

## PRODUCT CODES

Swell Single Narrow (White/Brass):	SWEL.SNG.NRW.WHT/BRA EU
Swell Single Narrow (Black/Brass):	SWEL.SNG.NRW.BLK/BRA EU
Swell Single Narrow (Brass/Brass):	SWEL.SNG.NRW.BRA/BRA EU
Swell Single Medium (White/Brass):	SWEL.SNG.MED.WHT/BRA EU
Swell Single Medium (Black/Brass):	SWEL.SNG.MED.BLK/BRA EU
Swell Single Medium (Brass/Brass):	SWEL.SNG.MED.BRA/BRA EU
Swell Single Wide (White/Brass):	SWEL.SNG.WID.WHT/BRA EU
Swell Single Wide (Black/Brass):	SWEL.SNG.WID.BLK/BRA EU
Swell Single Wide (Brass/Brass):	SWEL.SNG.WID.BRA/BRA EU
26" Chandelier Canopy:	CHND.CAN.26 EU

## LIGHT CONTROL

Hard-wired

ELV dimmer recommended

## FEATURES

Fully dimmable

For indoor and outdoor use

Damp rated

Interchangeable shades

interconnectable sockets

## SPECIFICATIONS

Voltage : 120V or 240V 60Hz

Power consumption: 13W

Color temperature: 3000K

Luminosity: 1050 Lumens

Luminaire efficacy: 81 Lumens/Watt

Color Rendition Index: 90 CRI

40K hour lifespan

(3x) 10' (305cm) vertical mounting kit cable included

30' (915cm) horizontal mounting kit cable sold separately

8' (244cm) power feed cable and canopy included

Horizontal mounting kit supports 12 lamps MAX

MAX interconnected 14.5W lamps: 34

Title 20/Title 24 compliant

Dark Sky compliant

2 year warranty (excluding bulbs)

## CERTIFICATIONS



## PACKAGING WEIGHT AND DIMENSIONS

Swell XL Narrow:	6.6LBS	14" X 14" X 20"
	3KG	36CM X 36CM X 51CM
Swell XL Medium:	7.6LBS	20" X 20" X 18"
	3.4KG	51CM X 51CM X 46CM
Swell XL Wide:	10LBS	26" X 26" X 14"
	4.5KG	66CM X 66CM X 36CM
Chandelier canopy 26":	30LBS	32" X 32" X 6"
	14KG	81CM X 81CM X 15CM

## NOTES

Custom requests can be considered on volume orders



## FINISHES



WHITE/  
BRASS



BLACK/  
BRASS





BRASS/  
BRASS

CANOPY



WHITE

## DIMENSIONS



CHANDELIER CANOPY 26"

